

# SafetyRailCompany Fall Protection for Life and Compliance



## SAFETY GATES

**ACCESS CONTROL BARRIER** 





## SRC ADJUSTABLE SELF-CLOSING GATES

## DESCRIPTION

SRC Adjustable Self-Closing Gates are an OSHA compliant solution for securing unprotected openings, creating a controlled entry/exit point for your work area or access ladder. Multiple sizing options available, each with lateral adjustment.

## **USES**

SRC Adjustable Self-Closing Gates are designed for all indoor and outdoor applications that require OSHA compliant fall protection or barrier guarding - 1910.28 (b)(3)(iv) and 1910.29 (b)(13)(i). Commonly used in industrial, commercial and work-site construction environments as a permanent or portable solution. Works in conjunction with new or existing:

- Access and Crossover Ladders
- Rail Systems
- Wall and Door Openings
- Machine Guarding
- Mezzanines

## **OSHA COMPLIANCE**

 Compliant with OSHA standard – 1910.28 (b)(3)(iv) and 1910.29 (b)(13)(i)

#### **FEATURES**


- Heavy duty construction ideal for commercial and industrial environments
- Self-closing hinge utilizes durable stainless steel torsion springs
- Universal hinge allows for right-hand or left-hand mounting orientation
- Multiple mounting options available
- All hardware included for simple installation
- American Welding Society Certified (AWS D1.1 & D1.3)
- 100% Made in USA
- Powder coat, galvanized and stainless steel available
- Custom RAL colors available





## SRC ADJUSTABLE SELF-CLOSING GATES

### PRODUCT SPECIFICATIONS



## WIDTH OPTIONS **POST ATTACHMENT** 16-22" 23-29" 30-36" WIDTH OPTIONS FLAT ATTACHMENT 16-22" 19-25" 26-32" 33-39"

#### **PRODUCT SPECS**

- Compliant with OSHA Standard: 1910.28 (b)(3)(iv) and 1910.29 (b)(13)(i)
- Tested for 200 lb (90.7kg) force in outward and downward directions
- Assembled height: 42" (107cm) top rail, 21" (53cm) mid-rail
- Gate body material 3/16" (4.76mm) flat steel; gate arm material 1" (25.4mm) x 14GA square tube
- Stainless steel torsion springs: Material 302SS 0.105"D
- 100% Made in USA
- American Welding Society Certified (AWS D1.1 & D1.3)
- Use Gate Hitch Post (Part# 400389) when existing mounting option is not available
- Use Self-Closing Gate Frame with mobile rail systems (Part# 400589)

#### FINISH OPTIONS







**GALVANIZED** 

STAINLESS STEEL

#### INSTALLATION

- All mounting hardware provided
- Install top of gate at 42" (107cm) resulting in 21" (53cm) mid-rail height required by OSHA
- Single person installation
- Intended for both interior and exterior uses

**PROJECT: CONTRACTOR:** DATE:

SPECIFICATIONS AND BIM MODELS AVAILABLE ON:

## **PRODUCT PART NUMBERS**

| POST ATTACHMENT: for 1" to 2" round or square post mounting        |  |                 |        |
|--|--|-----------------|--------|
| ITEM #   | 16" to 22" ADJUSTMENT RANGE                        | IMAGE           | WEIGHT |
| 400134   | Self Closing Gate (Powdercoat)                     | -11             | 17 lb. |
| 400613   | Self Closing Gate (Galvanized)                     |                 | 18 lb. |
| 400369   | Self Closing Gate (Stainless)                      | 1               | 18 lb. |
| ITEM #   | 23" to 29" ADJUSTMENT RANGE                        | IMAGE           | WEIGHT |
| 400313   | Self Closing Gate (Powdercoat)                     |                 | 19 lb. |
| 400344   | Self Closing Gate (Galvanized)                     |                 | 20 lb. |
| 400370   | Self Closing Gate (Stainless)                      |                 | 20 lb. |
| ITEM #   | 30" to 36" ADJUSTMENT RANGE                        | IMAGE           | WEIGHT |
| 400080   | Self Closing Gate (Powdercoat)                     |                 | 23 lb. |
| 400073   | Self Closing Gate (Galvanized)                     | -11             | 24 lb. |
| 400371   | Self Closing Gate (Stainless)                      |                 | 24 lb. |
| FLAT ATTACHMENT for 2" to 2" flat steel ladders and well manusting |  |                 |        |
| FLAT ATTACHMENT: for 2" to 3" flat steel ladders and wall mounting |  |                 |        |
| ITEM #   | 16" to 22" ADJUSTMENT RANGE                        | IMAGE           | WEIGHT |
| 400319   | Self Closing Gate (Powdercoat)                     |                 | 16 lb. |
| 400360   | Self Closing Gate (Galvanized)                     |                 | 17 lb. |
| 400372   | Self Closing Gate (Stainless)                      |                 | 17 lb. |
| ITEM #   | 19" to 25" ADJUSTMENT RANGE                        | IMAGE           | WEIGHT |
| 400229   | Self Closing Gate (Powdercoat)                     | ==              | 18 lb. |
| 400323   | Self Closing Gate (Galvanized)                     |                 | 19 lb. |
| 400373   | Self Closing Gate (Stainless)                      |                 | 19 lb. |
| ITEM #   | 26" to 32" ADJUSTMENT RANGE                        | IMAGE           | WEIGHT |
| 400316   | Self Closing Gate (Powdercoat)                     |                 | 21 lb. |
| 400612   | Self Closing Gate (Galvanized)                     | -11             | 22 lb. |
| 400374   | Self Closing Gate (Stainless)                      |                 | 22 lb. |
| ITEM #   | 33" to 39" ADJUSTMENT RANGE                        | IMAGE           | WEIGHT |
| 400226   | Self Closing Gate (Powdercoat)                     |                 | 23 lb. |
| 400611   | Self Closing Gate (Galvanized)                     | -11             | 24 lb. |
| 400375   | Self Closing Gate (Stainless)                      |                 | 24 lb. |
| CATE UITOU DOCT for free standing floor mount                      |  |                 |        |
| 400000   | GATE HITCH POST: for freestand                     | ilig 1100r moun |        |
| 400389   | Self-Closing Gate Hitch Post Galvanized            |                 | 14 lb. |
| 400969   | Self-Closing Gate Hitch Post Galvanized and Yellow |                 | 14 lb. |
|  |  |                 |        |
|  |  | DIES.           |        |















